

# RIVIAN R1T

## 4x4 135kWh Quad Motor

Base Model; Rivian R1T Permanent AWD

### Electric Drive System

Maximum Power: .....392kW / 533hp  
 Maximum Torque:.....827Nm / 610lb-ft  
 Range:(WLTP): .....563km / 352mi large pack NCA  
 .....656km / 410mi max pack NCA  
 Operating Temperature: .....-20° to 50° degC  
 Electricity Consumption: .....276Wh/km

### Battery

Battery Capacity (NCA): .....135kWh  
 Cell Chemistry: .....NCA

### Charging

Plug Type: .....CCS 1  
 AC Charging: .....Single-phase 42amp  
 DC Charging: .....Up to 225km charge in 20mins

### Safety

Anti-lock braking (ABS): .....✓  
 Electronic Brake Assist (EBA): .....✓  
 Electronic Brake- Force Distribution (EBD): .....✓  
 Electronic Stability Program (ESP): .....✓  
 Hill Descent Control (HDC): .....✓  
 Hill-Start Assist System (HAS): .....✓  
 Traction Control System (TCS): .....✓  
 Vehicle Dynamic Control (VDC): .....✓  
 Cameras : .....11 (5 Radars, 12 Sensors)  
 Airbags: .....8  
 Cruise Control: .....✓  
 Immobiliser: .....✓

### Features

Air Conditioning - Automatic: .....✓  
 Power Windows: .....✓  
 Power Adjustable Mirrors:.....✓  
 FM / Bluetooth: .....✓  
 Alexa & Spotify Integration: .....✓

### Colour

MEVCO Lime Green: .....Standard  
 Custom Colour / Wrap: .....Quoted on request

### Dimensions

Height: .....1986mm / 78.2in  
 Width (Mirrors Folded): .....2078mm / 81.8in  
 Length: .....5514mm / 217in  
 Bed Length (tailgate up): .....1374mm / 54.1in  
 Bed Width: .....1298mm / 51.1in

### Capacities

Max. Speed: .....185kmh / 114mph  
 Max. Load: .....800kg / 1764lbs  
 Axle Load Capacity - Front: .....1875kg / 4133lbs  
 Axle Load Capacity - Rear: .....2250kgs / 4960lbs  
 Gross Combined Mass (GCM): .....8156kgs / 17,980lbs  
 Gross Vehicle Mass (GVM): .....3870kgs / 8531lbs  
 Kerb Weight: .....3069kgs / 6788lbs  
 Wading Depth: .....914+mm / 3ft  
 Angle of Approach (unladen): .....35.5°  
 Angle of Departure (unladen): .....30°  
 Ramp Breakover Angle: .....26.4°  
 Max Ground Clearance: .....~203mm (8in)  
 to 378mm (14.9in)  
 Towing Capacity .....4990kg / 11,000lbs

### Warranty

Standard Warranty: .....4 Years\*





# MEVCO EV

## 4x4 88kWh

Base Model; Hilux 4x4 Double Cab Workmate Cab Chassis.

### Electric Drive System

Maximum Power:	85kW
Maximum Torque:	750N.m
Range (WLTP):	300kms
Operating Temperature:	-20° to 50° degC
Electricity Consumption:	210Wh/km

### Battery

Battery Capacity:	88kWh
Cell Chemistry:	NMC

### Charging

Plug Type:	CCS2
AC Charging:	Three-phase 32amp
DC Charging:	20 - 80% charge in < 1 hour

### Safety

Airbags:	7
Anti-Locking Brakes (ABS):	✓
Driver & Front Passenger Seatbelt Warning Buzzer:	✓
Driver & Front Passenger Pre-Tensioner Seatbelt:	✓
Immobiliser:	✓

### Features

Air Conditioning - Manual:	✓
Power Windows:	✓
Power Adjustable Mirrors:	✓
AM / FM / Bluetooth:	✓

### Colour

White:	Standard
Custom Colour / Wrap:	Quoted on request

### Dimensions

Height:	1865mm
Width:	1855mm
Length:	Tray Dependent
Dropside Length:	1800mm
Dropside Width:	1900mm
Dropside Height:	910mm

### Capacities

Max. Speed:	110km/h (Electronic Limited)
Max. Load:	960kg
Axle Load Capacity - Front:	1620kg
Axle Load Capacity - Rear:	2000kg
Gross Combined Mass (GCM):	5850kg
Gross Vehicle Mass (GVM):	3620kg
Kerb Weight:	2660kg
Wading Depth:	220mm
Angle of Approach (unladen):	29°
Angle of Departure (unladen):	26°
Ramp Breakover Angle:	49°
Ground Clearance:	220mm

### Warranty

Standard Warranty:	12 Months*
--------------------	------------

MEVCO.COM | info@mevco.com

\*Visit website for full list of warranty inclusions.

HILUX is a registered trademark of Toyota Jidosha Kabushiki Kaisha. MEVCO is not sponsored by or affiliated with Toyota Jidosha Kabushiki Kaisha or its authorised user in Australia Toyota Motor Corporation Australia. Available in Australia only.





# MEVCO EV

## 4x2 60kWh

Base Model; Hilux 4x2 – Double Cab Cab-Pickup Workmate.

### Electric Drive System

Maximum Power:	85kW
Maximum Torque:	750N.m
Range (WLTP):	200kms
Operating Temperature:	-20° to 50° degC
Electricity Consumption:	210Wh/km

### Battery

Battery Capacity:	60kWh
Cell Chemistry:	NMC

### Charging

Plug Type:	CCS2
AC Charging:	Three-phase 32amp
DC Charging:	20 – 80% charge in < 1 hour

### Safety

Airbags:	7
Anti-Locking Brakes (ABS):	✓
Driver & Front Passenger Seatbelt Warning Buzzer:	✓
Driver & Front Passenger Pre-Tensioner Seatbelt:	✓
Immobiliser:	✓

### Features

Air Conditioning – Manual:	✓
Power Windows:	✓
Power Adjustable Mirrors:	✓
AM / FM / Bluetooth:	✓

### Colour

White:	Standard
Custom Colour / Wrap:	Quoted on request

### Dimensions

Height:	1865mm
Width:	1855mm
Length:	5330 (Standard Tub)

### Capacities

Max. Speed:	110km/h (Electronic Limited)
Max. Load:	1160kg
Axle Load Capacity – Front:	1620kg
Axle Load Capacity – Rear:	2000kg
Gross Combined Mass (GCM):	5850kg
Gross Vehicle Mass (GVM):	3620kg
Kerb Weight:	2460kg
Wading Depth:	220mm
Angle of Approach (unladen):	29°
Angle of Departure (unladen):	26°
Ramp Breakover Angle:	49°
Ground Clearance:	220mm

### Warranty

Standard Warranty:	12 Months*
--------------------	------------

MEVCO.COM | info@mevco.com

\*Visit website for full list of warranty inclusions.

HILUX is a registered trademark of Toyota Jidosha Kabushiki Kaisha. MEVCO is not sponsored by or affiliated with Toyota Jidosha Kabushiki Kaisha or its authorised user in Australia Toyota Motor Corporation Australia. Available in Australia only.

